IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

BOYLSTON et al.

Confirmation No.: TBA

Appln. No.: TBA

Group Art Unit: TBA

Filed:

August 6, 2003

Examiner: TBA

Title:

TRANSCANAL COCHLEAR IMPLANT

Atty Docket No. 1397-1-2CIP Customer ID 25207

SYSTEM

INFORMATION DISCLOSURE STATEMENT

BOX IDS P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

The citation of information on the attached Form PTO/SB/08A, Information Disclosure Statement by Applicant, is made pursuant to 37 CFR 1.56 and 1.97. Each of the cited reference was disclosed in previously filed U.S. Application No. 10/054,092 (which status is now allowed).

The citation of this information does not constitute either an admission of priority or a waiver of any right applicant may have under applicable statutes, Rules of Practice in patent cases, or otherwise.

Respectfully submitted,

POWELL, GOLDSTEIN, FRAZER & MURPHY LLP

Jason A. Bernstein Reg. No. 31,236

16th Floor 191 Peachtree Street, NE

Atlanta, Georgia 30303-1736

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB

Sheet

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of

Complete if Known				
Application Number	TBA			
Filing Date	August 6, 2003			
First Named Inventor	Byron Lee Boyston			
Art Unit	TBA			
Examiner Name	ТВА			
Attorney Docket Number	1397-1-2CIP			

	·····		LIVI DOGGINEIVIO	U.S. PATENT DOCUMENTS						
Cite No. ¹	Document Number Number- Kind Code ² (if known	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear						
			Kinsinger	rigures Appear						
www.		01/24/95	Auer et al.							
	us. 5,120,953	06/09/92	Harris							
	US-									
	US-									
	US-									
	US-		WAR DEPOSITE OF THE PARTY OF TH							
	US-))) a morpha in ma Manageria (1900)								
	US-	,,,,,,,,,		Submices and the contract of the submitted of the submitt						
		······································		340.50 March 1840.00 March 184						
		·		Mac 11,000 (10,00) (10,000 (10,000 (10,000 (10,000 (10,000 (10,00) (10,000 (10,00) (10,000 (10,00) (10,00) (10,00) (10,00) (10,00) (10,00) (10,00) (10						
				AND THE ANALYSIS OF THE STATE O						
ga				Announce and the state of the s						
		No.1 Number-Kind Code ² (if known US- 6,185,271 US- 5,383,467 US- 5,120,953 US- US- US- US- US- US- US- US- US-	Number- Kind Code ² (If known MM-DD-YYYY US- 6,185,271 02/06/01 US- 5,383,467 01/24/95 US- 5,120,953 06/09/92 US-	Number-Kind Code ² (if known MM-DD-YYYY Applicant of Cited Document						

	FOREIGN PATENT DOCUMENTS								
Examiner Initials		Foreign Patent Document Country Code 3 -Number 4 - Kind Code 5 (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T6			
						ļ			
		***************************************		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
				······································					
<u> </u>									
2									
~·····································					and the second second second to the second s				
			***************************************	**************************************	**************************************				
		The state of the s	ingkumumana ang ang ang ang ang ang ang ang ang	and the state of the state of the control of the state of	CONTRACTOR OF THE PARTY OF THE	<u> </u>			

Examiner	Date		
Signature	Considere	ed	

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08B (10-01)
Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO				Complete if Known		
INFORMATION DISCLOSURE				Application Number	TBA	
			CLOSURE	Filing Date	August 6, 2003	
STATEMENT BY APPLICANT		First Named Inventor	Byron Lee Boyston			
		Group Art Unit	TBA			
	(use as many shee	ts a	s necessary)	Examiner Name	TBA	
Sheet	2	of	2	Attorney Docket Number	1397-1-2CIP	

Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Т
	A	BERLINER et al., "Tinnitus Suppression in Cochlear Implantation," pp. 118-130.	
	В	EDGERTON et al., "The Effects of Signal Processing by the House-Urban Single-Channel Stimulator on Auditory Perception Abilities of Patients with	
and the second s	- Control Characters	Cochlear Implants," Annals New York Academy of Sciences, House Ear Institute, 1983, pp. 311-322.	
	С	FRETZ et al., "Design and Function: A Physical and Electrical Description of the 3M HOuse Cochlear Implant System," Ear and Hearing, vol. 6, no. 3 Supp., 3M Company, St. Paul, MI, 1985, pp. 14S-19S.	
gu neggangganganan i vi va	D	FRAVEL, "Cochlear Implant Electronics Made Simple," Otolaryngologic Clinics North America, vol. 19, no. 2, 3M Company, St. Paul, MI, May 1986, pp. xi-xxii.	
	E	HOUSE, "Cochlear Implants: Two Monographs (and two papers by David House), Allhear@Allhear.com, 1999.	
, HIII - CANDON MINISTER DE CONTRACTOR DE CONTRACTOR DE CONTRACTOR DE CONTRACTOR DE CONTRACTOR DE CONTRACTOR D			

Examiner	Date	
Signature	Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.